

NATURAL AND UNIQUE

# CHARRED TIMBER PRODUCTS



---

# **CHARRED TIMBER: TRADITION MEETS MODERN EXCELLENCE**

Charred timber, also known as Yakisugi or Shou Sugi Ban, is a time-honored Japanese technique that preserves wood by charring its surface. This process creates a striking, textured finish while offering unparalleled durability and sustainability.

[www.timbersol.co.uk](http://www.timbersol.co.uk)



---

# WHY CHOOSE CHARRED TIMBER?




Durability: Naturally resistant to rot, pests, and weathering.



Eco-Friendly: Sustainable and free from chemical treatments.



Distinctive Aesthetics: A unique charred texture that complements modern and Traditional designs.



Low Maintenance: Minimal upkeep required over time.



Versatility: Perfect for cladding, decking, fencing, and interiors.



---

# ABOUT US

At TimberSol, we blend tradition and innovation to bring timeless elegance to modern spaces. Specializing in charred wood products, we embrace the ancient Japanese Yakisugi (Shou Sugi Ban) technique to craft durable and visually striking cladding, decking, and fencing. Our mission is to transform living and working environments with sustainable, aesthetically refined wood solutions that stand the test of time.

We are committed to exceptional craftsmanship and sustainability, using responsibly sourced materials to create designs that inspire and endure



---

# OUR MISSION

- 01.** To transform spaces with the timeless beauty of charred wood.
- 02.** To provide our customers with superior products that combine traditional techniques with modern design.
- 03.** To ensure exceptional customer service.



# OUR PROCESS

01



## WOOD SELECTION

The process begins with selecting durable timbers like oak, spruce, larch, or Accoya for their strength and charring suitability.

02



## SURFACE PREPARATION

Before charring, the wood is cleaned and cut to size to ensure an even, uniform finish.

03



## CHARRING THE WOOD

Then, the wood is flame-charred to form a protective layer with controlled char depth for the ideal texture and look.

04



## BRUSHING PROCESS

The wood is brushed to reveal the grain beneath the charred surface, enhancing its texture and ensuring long-lasting quality.

05



## OILING & FINISHING

After brushing, a Timbersol Hi-Tech all in one finish is applied. It enhances natural wood color, provides durability, and protects the wood against external elements.



# OUR PRODUCTS



## CLADDING

Transform facades with TimberSol charred cladding, merging lasting durability with textured elegance. Ideal for modern or traditional designs, our cladding delivers a unique aesthetic that enhances any building exterior.



## DECKING

Enhance outdoor spaces with durable, low-maintenance charred TimberSol decking. Its rich, charred finish adds warmth and sophistication, making it a standout feature in gardens and terraces.



## FENCING

Elevate boundaries with stylish, customizable TimberSol charred wood fencing. Designed for durability and visual impact, it offers a perfect blend of privacy and sleek modern appeal.



## INTERIOR

Add sophistication and warmth to your space with the timeless beauty of charred wood. Its deep tones, rich textures, and durability make it perfect for walls, ceilings, and furniture, adding timeless elegance to any design.



---


# OUR COLOURS | SPRUCE




Light Grey



Clay Grey



Grey



Anthracite Grey



Black



Carbon




Moss Green



Red Amber



Light Amber



Dark Amber



---

# OUR COLOURS | LARCH



Light Grey



Clay Grey




Grey



Anthracite Grey




Black



Carbon



Moss Green



Red Amber



Light Amber



Dark Amber



---

# OUR COLOURS | OAK



Light Grey



Black



Amber



Dark Grey



Black Carbon




Dark Amber



---

# OUR COLOURS | ACCOYA



Light Grey



Black Carbon



Dark Amber



Black



Amber

# OUR PROFILES | CLADDING

Shadow Gap



Height (mm)	Width (mm)	Face cover (mm)	Length (mm)	Gap (mm)
20	95	85	3000; 4000	5
20	120	110	3000; 4000	5
20	145	135	3000; 4000	5

PAR (smooth)



Height (mm)	Width (mm)	Face cover (mm)	Length (mm)	Gap (mm)
20	95	95	3000; 4000	N/A
20	120	120	3000; 4000	N/A
20	145	145	3000; 4000	N/A

To see custom profiles, click **HERE**. Minimum order quantity for custom profiles ≥100m²



---

# OUR PROFILES | DECKING & FENCING

## DECKING


PAR (smooth)



Height (mm)	Width (mm)	Length (mm)
28; 35; 45	95; 120; 145	3000; 4000

## FENCING

PAR (smooth)




Height (mm)	Width (mm)	Face cover (mm)	Length (mm)	Gap (mm)
20	95	95	3000; 4000	N/A
20	120	120	3000; 4000	N/A
20	145	145	3000; 4000	N/A

To see custom profiles, click **HERE**. Minimum order quantity for custom profiles  $\geq 100\text{m}^2$

---

# OUR PROFILES | CORNERS (LARCH)

## CORNER



Height (mm)	Width (mm)	Length (mm)	Price
45	45	3000; 4000	£13.00/LM

To see custom profiles, click **HERE**. Minimum order quantity for custom profiles  $\geq 100\text{m}^2$

---

# MAINTENANCE

## General Recommendations



To preserve the visual appeal of Timbersol charred timber, we recommend re-coating with Timbersol Hi-Tech All-in-One Finish **every 5 years for south-facing elevations** and **every 10 years for north-facing elevations**. However, this is a guideline rather than a requirement. Yakisugi naturally weathers over time, developing a unique patina. The decision to re-coat depends on personal preference and project-specific factors such as climate, humidity, and UV exposure.

## Touch-Up Applications



During installation, cutting may be required. To maintain Timbersol charred timber's protection, apply Timbersol Hi-Tech All-in-One Finish to exposed areas, ensuring proper sealing against moisture and environmental exposure. By following these recommendations, you can preserve the aesthetic charm and durability of Timbersol charred timber for years to come.

## Pre-coated and Ready for Installations



All Timbersol products come pre-coated and ready for installation, ensuring optimal performance and longevity. This preparation minimises initial treatment requirements and simplifies the installation process.

See our Installation Guide **HERE**

---

# PRICING

## CLADDING

Timber type	Colours	Price, 1m2
Spruce	All	£42.00
Larch	All	£61.00
Oak	All	£114.00
Accoya	All	£147.00

## DECKING

Timber type	Colours	Price, 1m2
Spruce	All	£56.00
Larch	All	£84.00
Oak	All	£114.00

## FENCING

Timber type	Colours	Price, 1m2
Spruce	All	£56.00
Larch	All	£76.00



# PRICING | BULK ORDER DISCOUNT

Order Quantity (m²)	Discount (%)
≥ 50m²	3%
≥ 100m²	6%
≥ 150m²	8%
≥ 200m²	10%

*\*Discounts are eligible for all products*

---

# CONTACT US



+44 7404397415



[www.timbersol.co.uk](http://www.timbersol.co.uk)



[info@timbersol.co.uk](mailto:info@timbersol.co.uk)




TimberSol Tailored  
Timber Solutions





# VISIT OUR WEBSITE!

[www.timbersol.co.uk](http://www.timbersol.co.uk)



bitly